Material Safety Data Sheet

(Reproduce locally)

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of LaborOccupational Safety and Health Administration (Non-Mandatory Form) Form Approved

OMB No. 1218-0072

IDENTITY (as Used on Label and List) CONCRETE MASONRY - GREY Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space

OSHA 174 Sept. 1985

		must be marked to indicate that.			
Section I		The state of the s	The second secon		The second secon
Manufacturer's name	Emergency Telephone Number				
AMCON BLOCK AND PRECAS	(CHEMTREC) 800-424-9300				
Address (Number, Street, City, State and	Telephone Number for Infor	mation	· · · · · · · · · · · · · · · · · · ·		
2211 HIGHWAY 10 SOUTH (PC	(320) 251-6030				
	Date Prepared				
ST CLOUD MN 56304	03/19/2015				
		Signature of Preparer (option	onal)		
Section II—Hazardous Ingredie	ents/Identity Information				
Hazardous Components (Specific Che			C	ther Limits	
	OSHA PEL ACGI	Re	commended	% (optional)	
QUARTZ (Si02)	10 mg/m3	(AS FREE CRYSTAL			76 (Optional)
(-1)	% Si02+2	(NOTICE ONTOTAL	LINE OILIOA)		
	7,5 0.10 2			· · · · · · · · · · · · · · · · · · ·	
	A				
Section III—Physical/Chemical	Characteristics				
Boiling Point	N/A	Specific Gravity (H ₂ 0 = 1) N/A			
Vapor Pressure (mm Hg)	N/A	Melting Point		N/A	
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)			
Solubility in Water NOT SOLUBLE		Evaporation Rate (Butyl Acetate = 1) N/A			
Appearance and Odor ODORLESS SO) ID				
Section IV—Fire and Explosion	າ Hazard Data				
Flash Point (Method Used) N/A		Flammable Limits N/A	LEL N/A	UEL N/	A
Extinguishing Media N/A					
Special Fire Fighting Procedures NON	IE ·				
Housed Fire and Fire A. M.	IONE				
Unusual Fire and Explosion Hazards N	ONE				
				· · · · · · · · · · · · · · · · · · ·	

Section V—R	eactivity Data				
Stability		Unstable		Conditions to Avoid	
		Stable	х	NONE	
Incompatibility (M.	aterials to Avoid)		——————————————————————————————————————	NONE	
Hazardous Decon	position or Byproducts			NONE	
Hazardous Polymerization		May Occur		Conditions to Avoid	
		Will Not Occur	Х	NONE	
Section VI—I	lealth Hazard Data				
Route(s) of Entry		Inhalation? YES	Skin? YES Ingestion? YES		
Health Hazards (A	cute and Chronic) Sav	ving or grinding may resu	ılt in release of dus	t particles which ma	ay: Acute: Cause minor irritation of the
eye or nose. C	Chronic: Result in lu	ng disease (Silicosis) if e	exposed to excessive	e amounts for prolo	onged periods.
			·		
Carcinogenicity		NTP? NO	IARC Mon	ographs? NO	OSHA Regulated? NO
Signs and Sympto	ms of Exposure Irrita	tion of eyes and nose or	shortness of breath	1.	
Medical Condition		Dragwisting long discour		A . II	· · · · · · · · · · · · · · · · · · ·
Generally Aggra	vated by Exposure	Preexisting lung disease	such as Emphysen	na or Asthma.	
Emergency and Fi	rst Aid Procedures Flu	ush eyes generously with	water for 15 minut	es. If irritation persis	sts, contact physician.
			· · · · · · · · · · · · · · · · · · ·	-	
Section VII—I	Precautions for Sa	fe Handling and Use			
Steps to Be Taken	in Case Material Is Rele	eased or Spilled Sweep up	and discard.		
				<u>.</u>	
Waste Disposal M	ethod Dispose of a	s common waste.			
Precautions to Be	Taken in Handling and S	Storing NONE			
Other Precautions	Wear NIOSH app	proved respirator and tigh	t fitting goggles wh	en sawing or grindir	ng.
Section VII—	Control Measures	(When sawing or grindi	ng)		
Respiratory Protect	ction (Specify Type) N	OSH approved Particula	te Respirator.		
Ventilation L	ocal Exhaust			Special	
-	Mechanical (General)	n confined area	(Other	
Protective Gloves				Tight fitting ass	nalee
			Eye Protec	tion Tight fitting goo	yyı c s.
Other Protective C	lothing or Equipment	NONE			
Work/Hygienic Pra	actices N/A				